

# VSTR50DKX

Sink material	Stainless steel
Type	Monoblock bowl
No. of bowls	1
EAN code	8017709276812



## Aesthetics



<b>Aesthetic</b>	Universale	<b>Building in type</b>	Undermount
<b>Series</b>	Mira	<b>Logo</b>	Embossed
<b>Colour</b>	Dark Inox	<b>Tap hole / precut tap hole</b>	No Taphole
<b>Finishing</b>	PVD Brushed		

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	500 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

## Technical Features




<b>Characteristics PVD coating</b>	Coating thickness , Eco-friendly, Easy to clean, Hypoallergenic	<b>Tap hole diameter</b>	35 mm
<b>Dimensions of the product (mm)</b>	200x542x442 mm	<b>No. of clips</b>	8
<b>Cutout dimension undermount (mm)</b>	404*504 mm	<b>Type of clips</b>	Undermount clip
<b>Base unit size</b>	60 cm		

## Accessories Included

Accessories for  
installation

Strainer, Savespace siphon  
with dishwasher outlet  
connection, Fixing clips



---

## Not included accessories

---



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



### 3712

Siphon single bowl sinks (dishwasher connection included)



### 3713

Siphon double bowls sinks (dishwasher connection included)










### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Symbols glossary (TT)

---

	Cupboard width required for sink installation		Sink depth - depending on the model, the depth can be from 13 to 24,5
	Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.		Easy to clean
	Coating thickness between 0.2mm and 2mm		PVD coatings are hypoallergenic and suitable for use in contact with food
	The manufacturing process of PVD treatment is 100% green and eco-friendly		