

SBC4604WNR





Product Family Blast chiller Category 45cm compact

Vitality system Yes Power supply Electric Electric **Heat source** Fan assisted Cooling type



Aesthetics

Dolce Stil Novo Alternative colours **Aesthetic** Stainless steel, Pure Black, available Neptune Grey, Nero Lucido Colour Black Glass Type **Eclipse Finishing** Glass Door Full glass Design Flat Handle Dolce Stil Novo Component finish Copper Material Glass

Handle Colour Black Logo Applied

Program / Functions

Automatic programmes 8 6 No. of warming functions N. cold functions 5 **Automatic cleaning** 100

Customisable recipes

Cold functions

Bottles Cooling Cooling Deep Freezing

Preservation Pre-cooling

Warming functions

Low Temperature Cooking Proving Ready to eat

Heating Yoghurt Defrosting



Multi-step

Yes, up to 2 functions

Controls





Display / Clock

TFT graphic , colour touch

screen

Control setting

Touch control

Options



Door open alarm Your Minute minder Your Timer 2

Controls Lock / Child Safety

Cooking with probe thermometer

Sulety

Yes Yes

2 Yes

Yes

Cooling with probe Yes Showroom demo option Yes

Tones

Chronology

Yes Polyphonic

Yes, the last 10 functions

utilised

Touch guide Sì, a pressione prolungata

su display

Technical Features



Compressor type
Refrigerant gas type
Refrigerant Quantity
Climatic class
Temperature control
Minimum Temperature
Maximum temperature
Cavity material

Cavity material No. of shelves Shelves type Standard R290 58 g SN, N, ST, T Electronic -28 °C

75 °C

Stainless steel

3

Metal racks

No. of lights

Light typeHalogenLight Power1 WLight when door isYes

opened

Upper heating element - 250 W

Power

Door opening type

Safety Thermostat Heating suspended when door is opened

Gross volume

Yes

Standard opening

Yes Yes

34 I

Accessories Included

Grid with back stop Bottle rack grid

1 Yes Temperature probe

Other

Yes


Microfiber cloth

Electrical Connection

Plug Voltage Electrical connection rating (W) (F;E) Schuko 220-240 V 270 W

Current Frequency (Hz) Power supply cable length 2.5 A 50 Hz 200 cm







Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Cooling: It allows to quickly cool the food, from the temperature of 80/90°C to 3°C in less than 90 minutes, to prevent bacterial growth, prolong the average life of food and maintain unaltered the quality of food.



Cold storage: allows to keep the food at the desired temperature between -35°C and +75°C and serve it at its best to enhance flavours and aromas.



Pre-cooling: allows the cavity to cool to -30 °C before inserting food into the blast chiller, to ensure the best cooling and freezing results. It is recommended to run a 15-minute pre-cooling cycle.



Bottles cooling: is possible to quickly cool wine and beverage bottles, reducing the need for storage in the refrigerator, with considerable space savings. Cooling of beverages takes place at about 1°C per minute.



Deep freezing of the food is a very quick process (From 0/90°C temperature to -18°C in less than 270 min) that allows to extend the average life of food (by up to 70% more) and keep the same organoleptic and nutritional characteristics of fresh food, because it avoid the formation of macro-crystals, that ruin the fibers of the food.



Electric



Automatic cleaning: a drying cycle of the cavity to be run with the door open, to eliminate any condensation formed during use.



Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height.

Available in several types and in different styles.



Appliances with Wi-Fi connectivity. Via SmegConnect App is possible to monitor and remotely control appliances through smartphone and tablet (iOS and Android).



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



The capacity indicates the amount of usable space in the oven cavity in litres.



Ready to eat: This function allows to keep food safely at the refrigerator temperature throughout the day, and heat it just before your return to make it warm, ready to be consumed.



Low temperature cooking: This function consists in cooking food at a constant temperature, lower than the traditional cooking temperature. Meat results more tender and juicy, maintaining a softness that only this cooking technique allows to obtain.



Dough leavening/ Yogurt: this function allows you to create the perfect conditions for correct leavening, keeping the mixture at controlled temperatures for the desired time, avoiding sudden changes in humidity levels. This feature also allows the creation of genuine homemade yogurt.



Wi-Fi connectivity



Benefit (TT)

TFT touch display

Full touch colour display for an easy and intuitive user interface

With its intuitive, full-colour interface, it offers an immediate and simple user experience, allowing programmes and functions to be selected quickly. Touch controls provide smooth and precise navigation, while the clear display of temperatures, times and settings ensures optimal control during each step of the process.

Removable temperature probe

High precision and exceptional results with the removable temperature probe, enabling perfect and controlled cooking

Insert the temperature probe to monitor the food's internal temperature for perfect results. The slow cooking function enhances flavors and tenderness while preserving essential nutrients.

Touch Guide

Enhanced ease of use, functionality and assistance thanks to the touch guide for a better display navigation

The Touch Guide provides pop-up explanations and tips when you press an icon.

Vitality System

The combined use of Smeg blast chiller, Galileo oven and vacuum drawer preserves organoleptic and nutritional qualities of food

Oven-interchangeable multifunctional grids

Maximum flexibility thanks to the oven-interchangeable grids, supporting containers and food or, when rotated, serving as a bottle holder.